5 YEAR GUARANTEE

REV: V1.0 2015/01/20

SHEENLY®

LED Panel Light
LED Linear Light

LED Panel Light Information

Installation Manual

LED Bay Light

LED Panel Light

LED Down Light

LED Linear Light

Panel



R580 Xline Slimo Plinx



Sheenly Lighting Co.,Ltd.
No.2755, Sanlu Road, Bldg1, Minhang District, Shanghai 201112, China.
Tel: +86-21-6411 3138 Fax: +86-21-6411 3862
Email: ssales@sheenly.com www.sheenly.com

Mobile APP

IP40

RoHS 2002/95/EG

REACH

ErP

Glow-wire 850°C

I. Suspension Rope

SHEENLY

Available Type: ☑ Step Frame Panels ☑ Flat Frame Panels

Step 1



Dimension	A(mm)	B(mm)
600x600	580	580
625x625		

Step 2



Step 3



Step 4



Step 5



Step 6



Step 7





Lighting Up a New World

I. Suspension Rope

SHEENLY

Available Type: ☑ Up/Down LED panel light (300x1200mm)

Step 1

Dimension	A(mm)	B(mm)	C(mm)
300x1200	30	220	610



Step 2



Step 3



Step 4



Step 5



Step 6



Step 7



Lighting Up a New World

Ⅱ. Recessed

SHEENLY

Available Type: ☑ Step Frame Panels ☑ Flat Frame Panels

Step 1



Step 2



Step 3



Step 4



Step 5



Step 6





Lighting Up
a New World

Ⅲ. Box Surface Mounted

SHEENLY

Available Type: ☑ Step Frame Panels ☑ Flat Frame Panels

Step 1



Dimension	A(mm)	B(mm)
625x625	529	572
600x600	502	545
300x1200	1102	245
300x300	202	245

Step 2



Step 3



Step 4



Step 5



Step 6



Step 7





Lighting Up
a New World

IV. Column Surface Mounted

SHEENLY

Available Type: ☑ Step Frame Panels ☑ Flat Frame Panels

Step 1



Dimension		A(mm)	B(mm)
Step Frame	600x600	422	546
	625x625	462	573
Step Frame	600x600	564	380
	625x625	591	380
	300X300	264	264
	300X1200	264	740
	600X1200	564	740

Step 2



Step 3



Step 4



Step 5



Step 6



Step 7



V. Clip in

SHEENLY

Available Type: ☑ Step Frame Panels ☐ Flat Frame Panels

Step 1



Dimension	A(mm)	B(mm)
625x625	600	600
600x600	577	577
300x1200	277	1177
300x300	277	277

Step 2



Step 3



Step 4



Step 5



Step 6



Step 7



Step 8





VI. S-Shape Surface Mounted

SHEENLY

Available Type: ☐ Step Frame Panels ☑ Flat Frame Panels

Step 1



Dimension	A(mm)	B(mm)
600x600	588	588
300x1200	288	1188
300x300	288	288

Step 2



Step 3



Step 4



Step 5



Step 6



Step 7





Lighting Up a New World

VII. Round Driver Box

SHEENLY

Available Type: ☑ R580 Round Panel

Step 1



Dimension	A(mm)
D580	120

Step 2



Step 3



Step 4



Step 5



Step 6



Step 7





Lighting Up a New World

Ⅷ. Slimo Suspension Rope

SHEENLY

Available Type: ☑ Slimo

Step 1

Dimension	A(mm)	B(mm)	C(mm)
1200	30	220	1200



Step 2



Step 3



Step 4



Step 5



Step 6



Step 7





Lighting Up
a New World

Ⅸ. Plinx Suspension Rope

SHEENLY

Available Type: ☑ Plinx

Step 1

Dimension	A(mm)	B(mm)	C(mm)
Plinx 900	30	220	require
Plinx 1200			
Plinx 1500			



Step 2

Driver box installation is same as slimo



Step 3



Step 4



Step 5



Step 6

Interconnectable





Lighting Up
a New World

X. Linear Light Suspension Rope

Available Type: ☑ Xline ☑ Patten

















SHEENLY

5 YEAR GUARANTEE

Sheenly Panel Light Accessory		Part Number
Suspension Rope	X4 X4 X4 X4 X4 X4	SL-ACC-PEN-SQUARE
Box Surface Mounted	 X4 X4 X12	SL-ACC-SUR-BOX
Column Surface Mounted	X4 X4 X4 X4 X4	SL-ACC-SUR-COLUMN
Clip in	 X4 X4 X8	SL-ACC-REC-CLIP
S-Shape Surface Mounted	X4 X4 X4 X4	SL-ACC-SUR-S

Ensure that the main electrical supply is switched off before installing the fitting.